





トラフ角35°	(LA型は1200ベルト巾以下、FL型は1050ベルト巾以上)																			
製品記号	ベルト巾	D1	l1	h1	m1	n1	C	F	A	B	t	e×f	ベアリング	重量kg						
OKI-40-3-35-R,LA	400	90	145	125	640	140	422	259	690	190	6	15×25	6204	11.7						
OKI-45-3-35-R,LA	450		165		690		474	270	740					13.1						
OKI-50-3-35-R,LA	500		180		740		514	279	790					13.6						
OKI-60-3-35-R,LA	600		210	140	840	150	593	311	890	200				15.0						
OKI-75-3-35-R,LA	750	115	265	150	1040	160	733	364	1090	210				9	19×30	6205	25.9			
OKI-90-3-35-R,LA	900		315		1190		865	393	1240								30.3			
OKI-105-3-35-R,LA,FL	1050	140	370	180	1340	180	1013	468	1390	230	9	19×30	6206				46.3			
OKI-120-3-35-R,LA,FL	1200		420		1490		1145	497	1540								51.0			
OKI-140-3-35-R,FL	1400	166	500	250	1730	280	1360	625	1790	350							9	19×30	6207	88.9
OKI-160-3-35-R,FL	1600		580		1930		1571	672	1990											107.8
OKI-180-3-35-R,FL	1800		650	2220	1756	741	2290	142.8												
OKI-200-3-35-R,FL	2000		730	2420	1967	788	2490	169.5												



トラフ角45°	(LA型は1200ベルト巾以下、FL型は1050ベルト巾以上)																			
製品記号	ベルト巾	D1	l1	h1	m1	n1	C	F	A	B	t	e×f	ベアリング	重量kg						
OKI-40-3-45-R,LA	400	90	145	125	640	140	373	277	690	190	6	15×25	6204	12.1						
OKI-45-3-45-R,LA	450		165		690		422	291	740					13.6						
OKI-50-3-45-R,LA	500		180		740		458	301	790					14.1						
OKI-60-3-45-R,LA	600		210	140	840	150	530	338	890	200				15.7						
OKI-75-3-45-R,LA	750	115	265	150	1040	160	678	402	1090	210				9	19×30	6205	26.9			
OKI-90-3-45-R,LA	900		315		1190		798	438	1240								31.6			
OKI-105-3-45-R,LA,FL	1050	140	370	180	1340	180	930	519	1390	230	9	19×30	6206				47.7			
OKI-120-3-45-R,LA,FL	1200		420		1490		1051	554	1540								52.5			
OKI-140-3-45-R,FL	1400	166	500	250	1730	280	1251	695	1790	350							9	19×30	6207	94.2
OKI-160-3-45-R,FL	1600		580		1930		1445	752	1990											112.8
OKI-180-3-45-R,FL	1800		650	2220	1614	831	2290	147.1												
OKI-200-3-45-R,FL	2000		730	2420	1807	888	2490	173.2												

<インパクトローラ 寸法表>
Dimension list of Impact roller



FL型

LA型



製品記号	ベルト巾	D1	l1	L1	L01	d1	C1	b1	ベアリング	重量kg
OKI-40R-R,LA	400	90	145	153	175	20	8	14	6204	2.2
OKI-45R-R,LA	450		165	173	195					2.6
OKI-50R-R,LA	500		180	188	210					2.7
OKI-60R-R,LA	600		210	218	240					3.0
OKI-75R-R,LA	750	115	265	273	295	25	18	6205	4.8	
OKI-90R-R,LA	900	315	323	345	5.6					
OKI-105R-R,LA	1050	370	380	410	8.8					
OKI-120R-R,LA	1200	140	420	430	460	30	11.2	22	6206	9.8
OKI-140R-R,FL	1400	500	510	540	16.8					
OKI-160R-R,FL	1600	580	590	620	19.0					
OKI-180R-R,FL	1800	166	650	660	690	35	25	6207	22.4	22.4
OKI-200R-R,FL	2000		730	740	770					25.0

Product symbol	Belt width	D1	l1	L1	L01	d1	C1	b1	Ball bearing	Weight(kg)
OKI-40R-R,LA	400	90	145	153	175	20	8	14	6204	2.2
OKI-45R-R,LA	450		165	173	195					2.6
OKI-50R-R,LA	500		180	188	210					2.7
OKI-60R-R,LA	600		210	218	240					3.0
OKI-75R-R,LA	750	115	265	273	295	25	18	6205	4.8	
OKI-90R-R,LA	900	315	323	345	5.6					
OKI-105R-R,LA	1050	370	380	410	8.8					
OKI-120R-R,LA	1200	140	420	430	460	30	11.2	22	6206	9.8
OKI-140R-R,FL	1400	500	510	540	16.8					
OKI-160R-R,FL	1600	580	590	620	19.0					
OKI-180R-R,FL	1800	166	650	660	690	35	25	6207	22.4	22.4
OKI-200R-R,FL	2000		730	740	770					25.0